

**Missouri District H A.R.E.S.®
Emergency Operations Plan
March 2016**



Includes the Missouri Counties of Andrew, Atchison, Buchanan, Caldwell, Clinton, Davies, DeKalb, Gentry, Grundy, Harrison, Holt, Livingston, Mercer, Nodaway, Worth.

1. Background

The Amateur Radio Service is authorized under Part 97 of the Federal Communications Commission's rules as a "voluntary non-commercial communication service, particularly with respect to providing emergency communications." The American Radio Relay League (ARRL) facilitates emergency communications through its Field Organization in general and the Amateur Radio Emergency Service (ARES) in particular.

The ARES is the emergency branch of the ARRL Field Organization. It operates under the direction of the Section Manager, an elected position within the Field Organization. There are 71 sections in the United States and its possessions. The State of Missouri is comprised of one section. Within the Missouri Section, there are 9 districts and 115 local jurisdictions including all 114 Missouri counties and the City of St. Louis. Each of the local jurisdictions should have an Emergency Coordinator (EC) assigned. These designated ECs report to their respective District Emergency Coordinator (DEC) in each of the 9 districts who in turn report to the Section Emergency Coordinator (SEC). An updated listing of Missouri Section ARES leadership is kept at www.ares-mo.org/districts.asp and all members are encouraged to keep contact information for their respective areas on hand.

The ARES operates to serve both governmental and non-governmental agencies through "Memoranda of Understanding" (MOUs). These MOUs are non-binding letters explaining the participating parties' roles and responsibilities and are initiated at both the national and section levels. Written MOUs need not be in place on a section or local level if they exist on a national level. District level MOUs must originate with the DEC and must be approved and signed by the DEC prior to their execution. MOUs transfer in-kind as new DEC's are appointed unless specifically cancelled by the incoming DEC. Agencies signatory to MOUs are referred to as "Served Agencies."

It is the intention of this plan to provide guidelines for training and usage of Amateur Radio volunteer communicators. It is also the intention of this plan to provide for adequate training and preparation of ARES operators to assist with the needs of the state and local government communications as required.

ARES

operators should be prepared to assist any agency whether government or private sector as dictated by the needs of any given situation.

The DEC shall establish the training standards for new ARES volunteers and ensures that all new ARES operators complete a basic curriculum for emergency communications training. The DEC shall ensure that all jurisdictions within the district have adequate training available and regular exercises so that the district as a whole maintains a high degree of readiness.

2. Purpose

The purpose of this plan is to outline the ARES organization in District H and present the basic information required for effective operation during an emergency. It will also contain addendums, which constitute the bulk of the "living document," as submitted by the various ECs. This plan is intended to be updated periodically, on an as-needed basis.

This plan is not intended to be the "last word" in emergency operations, but to be a resource in planning and operations. Recommendations for training are presented as a guideline to establish minimum standards for qualifying Amateur operators as ARES operators. All training should be tailored to meet the needs of the agencies and communities served. Any additions, deletions or corrections affecting the section level should be brought to the attention of the DEC and District Training Coordinator. All submissions will be given due consideration for inclusion in updates as they are released.

3. Organization

The field services leadership of the Missouri Section is outlined as follows:

District H Emergency Coordinator: [Trevor Black KCØQLU kc0qlu@nwmoares.org](#)

Assistant District Emergency Coordinator: [George Pease KC0GP gpease3@aol.com](#)

District Public Information Coordinator (PIO): TBD

District Training Coordinator: TBD

See complete District Organization and Contacts in Appendix 2.

4. Plan Activation

If an ARES member determines that a true emergency situation exists, every effort should be made to notify the appropriate county EC so that information concerning an incident may be relayed through the ARES structure and formal net operations established. If the appropriate county EC is unavailable, the chain of command should be followed. This does not preclude operators from contacting an emergency dispatch center or requesting assistance for smaller incidents, such as initial fire, medical, or traffic accident calls. Then, monitor the assigned Amateur Radio frequencies utilized in the affected area. This would include appropriate repeater output frequencies and predetermined high frequency net frequencies. If electrical service to a repeater is interrupted, stations should monitor the repeater output frequency or other predetermined simplex frequency, as directed by the local leadership. All appointed Official Emergency Station (OES) operators shall monitor HF and VHF net frequencies if a declaration of emergency is imminent.

It is important that operators not interrupt existing emergency communications, but instead listen and only transmit if specific assistance is requested from that station or if a clear relay can be given in times of difficult copy. Operators should conform to established net protocols at all times. Deviating from established net procedures slows and confuses operations.

Calls for assistance from Served Agencies should be routed to the appropriate EC. This will result in the most efficient and appropriate response. Only under prior arrangements should individual ARES members "self dispatch" on their own. All ARES members shall have contact information for their leadership.

Alerting:

When an emergency arises the first knowledge of it is usually at the county level. The immediate response to an emergency is to call up local ARES members and begin establishing communications. This may be accomplished by whatever system each EC has in place in their county. As soon as this is accomplished, the EC should inform his/her DEC and/or the SEC of the situation.

- The DEC and the SEC should be contacted by phone, if possible. In the event of any major disaster all counties, the DEC and the SEC should monitor 3.963 or 7.263 MHz for updates and information if the local communications are inoperable. For everyone's assistance, the District H ARES roster (issued separately by the DEC) contains phone numbers, pagers, and E-mail addresses to facilitate communicating with them when the need arises. These additions are intended to enhance the ability of the ARES to provide communications assistance.

In the event of any widespread communications emergency, every EC, DEC and the SEC should have an HF station monitoring 3.963 MHz or 7.263 MHz (If the EC or DEC or SEC does not have the license privileges or capability to operate on these HF frequencies, they should make arrangements to appoint an OES, which has this capability within their county/district/section.)

Wide Area Nets:

Operations have proven the need for wide-area administrative nets. Once emergency operations have begun and it is apparent that the State Emergency Operations Center (EOC) will be involved, or that there will be more than one (1) county involved, an HF station should be included in the operation of the County Control Station (CCS). The CCS can provide a link to the State EOC and allow inter-county communications and the coordination of manpower and assistance from other areas. This also allows the DEC and SEC to communicate directly with the area(s) involved. It should also be noted that the Missouri Emergency Packet Network (MEPN) packet network is available to provide a digital link to State Emergency Management in Jefferson City.

EC Guidelines:

When an emergency exists within the District, or when the DEC or Assistant District Emergency Coordinator (ADEC) begins wide area operations, the following operations guide will be followed by all ECs:

1. Each EC will stay in their county and be ready and available to provide assistance, as requested, by the DEC or ADEC, if the DEC is not available
2. NO EC will leave their county without the express consent of their DEC or the ADEC

3. ECs will be responsible for the following:

- a. When there is an emergency in their county each EC is responsible for:

- i. Determining the extent of the problem and evaluating their manpower needs
- ii. Establish operations based on the guidelines in the District Operating System

- iii. Notify your DEC and/or ADEC of the emergency
- iv. Establish operating schedules and request assistance from your DEC if required
- v. Keep your DEC and the ADEC up to date on the situation in your county
- vi. Keep logs and lists of involved Amateur operators
- vii. When operations are over, be sure all Amateur operators are notified and return home
- b. When notified of an emergency in another county or ARES District:
 - i. Be ready to assemble assistance from your county, if requested
 - ii. Notify your AECs of the possible need to provide assistance to another area
 - iii. Maintain communications with your DEC and/or ADEC
 - iv. Notify your DEC and/or the ADEC of any changes in your location or any additional means of communicating with you
 - v. Notify the DEC and/or the ADEC of any changes that would affect contacting you
 - 1) Additional or different pager numbers
 - 2) Cell phone numbers
 - 3) Fax numbers
 - 4) Frequencies being used in your county.
- c. When operations in your area are concluded be sure the following are accomplished prior to securing:
 - i. Make sure all ARES personnel are accounted for
 - ii. Pass along our appreciation to all participants
 - iii. Be sure all Amateur operators are notified that operations have concluded
 - iv. Collect reports and logs from your AECs and control stations
 - v. Make recommendations for certificates
 - vi. File a report with your DEC and the ADEC

Personnel Notification:

The following criteria should be observed for all call-ups of ARES Personnel. Please be sure to notify ALL the proper people immediately. In the event that a person is not available, notify either the alternate or the immediate superior of that person. This is vital to insure the proper operation of Amateur Radio during an emergency.

Occurrence: Notify:

Public Service Events & Local Drills Notify local ARES personnel
 Emergency in your County Notify local ARES Personnel,
 DEC/ADEC

Emergency Spreading to Notify your DEC or ADEC
 Adjacent County adjacent County EC

When you need assistance Notify your DEC and/or ADEC

When requesting assistance you will need to know the following information:

1. Number of Amateur operators required
2. How long will assistance be needed (you can estimate this)
3. What kind of equipment will be needed
4. What kind of conditions in which they will be operating.

Logging:

ALL STATIONS WILL MAINTAIN COMPLETE LOGS.

All fixed stations operating during an emergency must maintain a complete log of their operations. This log will contain the TIME (local) of each message, the CALLSIGN of the contacted station and MESSAGE CONTENT of the message.

A copy of all FORMAL TRAFFIC will be kept and become part of the log.

Each log sheet will contain the OPERATING CALLSIGN, the location of the station, the call of the operator and be signed by the control operator.

Mobiles should log the STATION CALLED, TIME, and brief CONTENT of each message. Each log should contain the operator's call sign and date and operators signature.

ALL LOGS will be kept as a part of the ARES records. If an operator requires copies for his/her own log, copies should be made and the originals remain with the ARES EC.

5. Training and Procedures

An annual test of the District H ARES will be conducted in conjunction with the National Simulated Emergency Test (SET). This test will be conducted at various levels throughout the district. It is also recommended that local exercises be held as determined to be appropriate and coordinated with district or local agency participation whenever possible. It is recommended that one exercise annually in addition to SET be held to exercise interoperability and cross-jurisdictional response protocols.

The ARRL has provided courses for Emergency Communications training and certification. The courses are presented in two levels. The Level-1/Basic course is highly recommended as the basic training standard for new ARES members in Missouri. New ARES members are encouraged to complete Level-1/Basic training within one year of registration with their local ARES group. Information on Level 1/Basic certification can be found at <http://www.arrl.org/cce/>. Missouri Section leadership officials are strongly encouraged to complete Level 2/Advanced (Course is not available at this time), previously known as Level-2 and Level-3 courses as well.

In addition, the following courses are recommended for all ARES members:

FEMA Course # Description

IS-100 Introduction to Incident Command System

IS-200a ICS for Single Resources and Initial Action Incidents

IS-700 National Incident Management System – An Introduction

IS-800B National Response Framework, An Introduction

IS-802 Emergency Support Functions (ESF) #2 - Communications

Additional tests, drills, nets, and training will be carried out as directed by the individual ECs. These sessions allow tailoring of training requirements to the specific needs of the areas and Served Agencies. Consideration should be given to the needs of adjacent areas for maintaining a high state of readiness for mutual aid support. It is recommended that neighboring districts be invited to participate in any exercises held on a district basis.

6. Directed Net Operations

Directed nets are the backbone of the ARES traffic handling operation. Directed nets operate with a Net Control Station (NCS) which maintains order on the net. Stations not directly involved with the operation of a directed net should stand by until the net is clear. At no time will a station transmit on a directed net except when called upon by the NCS, when checking in during a non-roll call period or when a station has bona fide emergency or priority traffic.

Most net operations relating to emergencies are "tactical" in nature. They are generally directed nets and messages sent can be qualified as any exchange that does

not utilize an established message format or form. The National Traffic System (NTS) message format should be utilized whenever practical. Its use has a long history of reliable and accurate message exchange. ARES members should become proficient in the ARRL NTS message format and its usage. Also, good operating technique and keeping a log of your operation is of primary importance. Remember, it is the Served Agency's needs that will determine what will be used in any given situation.

7. Emergency Nets and Frequency Usage

The following frequencies are utilized within the District C for organized emergency nets. Contact may be attempted on these frequencies in the event that you are cut off from commercial telecommunications. Listen before transmitting! If an emergency net is in progress, do not interrupt! Monitor the frequency and follow the directions of the net control station.

HF

The Missouri Emergency Services Net (MESN) meets weekly following the Missouri Traffic Net on Sunday evenings at 6:30pm local time.

Frequency Net Name

3963.0 kHz. MESN

7263.0 kHz. MESN (daytime alternate)

VHF / UHF Repeater Systems

VHF or UHF repeaters serve most communities within the section. This may be a viable means of contacting a desired person or someone who can in turn contact that person for you. ARES members are strongly encouraged to obtain a listing of the available repeaters in their area BEFORE an emergency occurs. An up to date list of coordinated repeaters in the District H is available on a website maintained by the Missouri Repeater Council

(www.missourirepeater.org)

District H Repeaters

KC0QLU	Plattsburg	146.895 YSF	-	114.8
WD0SKY	Osborn	145.150	-	107.2
N0SWP	Osborn	442.675	+	127.3
KB0RPJ	Trenton	146.955	-	none
W0NH	St. Joe	146.850 YSF	-	100.0
WD0BBR	Hamilton	146.745	-	141.3
K0MPT	Chillicothe	147.225	+	none

WA0HBX	Saint Joseph	444.925	+	100.0
N2OYJ	Rockport	444.775	+	100.0
N2OYJ	Bethany	443.075	+	100.0

VHF / UHF Simplex Frequencies

The Missouri section utilizes a set of predetermined simplex frequencies for "event or scene of action" operations. Use of the simplex mode minimizes exposure to power interruption, but also shortens effective communications range in most cases. A complete listing of frequencies and procedures for utilization can be found in the Missouri ARES Interoperability Document contained in Addendum 1. Some of the most commonly utilized frequencies district-wide are listed as follows:

Mnemonic Frequency TX CTCSS Primary area of usage

HVCall 146.550 CSQ Statewide - PRIMARY CALLS

HUCall 446.000 CSQ Statewide – UHF CALL

HVCall 146.550 CSQ Statewide – VHF CALL

HMCall 52.550 CSQ Statewide – 6 M CALL

It is commonly known that ARES serves many agencies. These allocations minimize interference across jurisdictional boundaries in the event that an emergency may exist close to or across jurisdictions.

Missouri ARES

Interoperability Plan

Revised 2003 Aug 21

* Contributors

Bryan Nehl, K0EMT, MO ARES, Moniteau County EC

Wayland McKenzie, K4CHS, Missouri Repeater Council, Coordinator

Joseph Counsil, K0OG, MO ARES, Former Digital Communications Coordinator

Stephen Devine, KC0BXQ, MO State HP, Frequency Coordinator, SIEC Chair

Steve Makky, Sr., KA2AYR, Missouri SIEC, Secretary

Kurt Bleich, KB0HNR, Moniteau County EMA, Director

Mel Whitten, K0PFX, MO Amateur Packet Society (MOAMPS)

Richard Stump, N0QOI, MO SEMA, Communications Officer

Gene McGahey, AL7GQ, NPSTC Amateur Radio Service Work Group

* Reading this document

Please make note of your questions as you read the document. As you continue reading through some of the examples will make more sense as additional terms/contexts are defined. If terms/concepts are still not clear, please contact the author(s).

Ongoing development of this document is being done in the MO-ARES yahoo group. Alternately, you may email your comments/suggestions to Bryan at k0emt@arrl.net, <http://www.dbbear.com/k0emt>

* Why

Interoperability in this document refers to the ability of ARES groups and individuals involved in a coordinated response to communicate with each other.

In the event of an emergency or exercise, an interoperability plan can address connectivity issues and increase the effectiveness and speed of the response.

The idea is if you have these VHF frequencies in your rig, you will be able to start working as a communicator no matter where you are in the state. This plan is designed to augment your existing structure, not totally replace it. If you have an operational repeater or simplex net, by all means utilize it. However, please continue to monitor HVCall.

The APRS/Packet/DATA frequencies are meant to supplement your existing plan and the Missouri Emergency Packet Network (MEPN).

Example:

Instead of having one Moniteau ARES op contacting Cole ARES to pass traffic for MARS on one freq and another Moniteau op contacting Morgan ARES to pass MESN traffic on a different freq (both with active directed nets- assuming we know the frequency on which to contact them) I could have one op go to "HVCall" and contact the Liaison stations for Cole and Morgan. Once they have made contact they could QSY to "Foxtrot" to pass the traffic, leaving the call freq clear. "Morgan, QSY to Foxtrot, I'll call you. Moniteau, K0EMT."

If another county had something to pass through either of us, they only have to know one frequency to go to.

* Naming

Public Safety (PS) Interoperability frequencies are VTAC # and UTAC #. The ARES/Ham Radio frequencies are prefixed with an H to distinguish them from the PS freqs.

To alleviate confusion, standard mnemonics shall be used in all equipment to refer to individual channels. These are listed in the table below. Should the equipment not be capable of alphanumeric channel mnemonics, the radio should be placarded to indicate the channel mnemonic and its corresponding position on the radio's selector switch.

** Naming Guide

V refers to 2M VHF

U refers to 70cm UHF

L refers to 6M 'Low Band' VHF, scene ops

M refers to 6M 'Mobile Low Band' VHF, wide area/mobile

* Frequencies

These frequencies were determined by cross referencing the ARRL band plan with the Missouri Repeater Council band plan.

** VHF 'Wide Area' Frequencies

Mnemonic Frequency TX CTCSS Primary MSHP District

HVCall 146.550 CSQ Statewide

HVStage 147.555 100.0 Statewide

HVAPRS 144.990 CSQ Statewide

HVData 144.910 CSQ Statewide

HVPacket 144.950 CSQ Statewide

HVTac0 147.495 100.0 Primary Digital Voice Frequency

HVTac1 145.600 100.0 Alpha

HVTac2 145.650 100.0 Bravo

HVTac3 145.700 100.0 Charlie

HVTac4 146.400 100.0 Delta

HVTac5 146.445 100.0 Echo

HVTac6 146.505 100.0 Foxtrot

HVTac7 146.595 100.0 Golf

HVTac8 147.405 100.0 Hotel

HVTac9 147.450 100.0 India

** UHF 'Scene' Frequencies

Mnemonic Freq TX CTCSS

HUCall 446.000 CSQ

HUAPRS 446.150 CSQ

HUData 446.200 CSQ

HUTac1 445.900 100.0

HUTac2 445.925 100.0

HUTac3 445.950 100.0

HUTac4 445.975 100.0

HUTac5 446.025 100.0

HUTac6 446.050 100.0

HUTac7 446.075 100.0

HUTac8 446.100 100.0

** 6M 'Wide Area/Mobile' Frequencies

Mnemonic Freq TX CTCSS Primary MSHP District

HMCall 52.550 CSQ Statewide

HMData 52.790 CSQ Statewide

HMTac0 52.710 100.0

HMTac1 52.310 100.0 Alpha
HMTac2 52.350 100.0 Bravo
HMTac3 52.390 100.0 Charlie
HMTac4 52.430 100.0 Delta
HMTac5 52.470 100.0 Echo
HMTac6 52.510 100.0 Foxtrot
HMTac7 52.590 100.0 Golf
HMTac8 52.630 100.0 Hotel
HMTac9 52.670 100.0 India

** 6M 'Scene' Frequencies

Mnemonic Freq TX CTCSS

HLCall 52.450 CSQ

HLTac1 52.530 100.0

HLTac2 52.730 100.0

HLTac3 52.690 100.0

HLTac4 52.650 100.0

HLTac5 52.610 100.0

HLTac6 52.570 100.0

HLTac7 52.750 100.0

HLTac8 52.330 100.0

** Portable Repeater Frequencies

To be determined

This will require coordination with the Missouri Repeater Council.

* Mode of Comms

20K0F3E, standard FM voice.

As NBFM becomes more prevalent in the future, this may be revised.

* Tone/CTCSS

Calling frequencies - NO PL, NO CTCSS, NO DCS

Tactical frequencies - PL/CTCSS 100.0

This Tone was chosen to avoid interference from or interfering with Public Safety entities using 156.7.

Do NOT use CTCSS unless needed to help manage QRM. ALWAYS transmit PL.

* Power Output

Users are strongly encouraged to increase antenna gain and directionality before increasing power.

No more power than the minimum needed to establish a near full-quieting circuit.

Adhere to the FCC regs requiring the use of the minimum power needed to establish the circuit and RF Safety limits.

** VHF - 2M and 6M

Base Station 200 watts max

Mobile Station 100 watts max

Field Station 50 watts max

Tactical Frequencies used 'On Scene' 5 watts max

** UHF

The UHF frequencies are intended for on scene operations. For this reason and to minimize the possibility of interference with other stations:

Base Station 35 watts max

Mobile Station 35 watts max

Field Station 35 watts max

Tactical Frequencies used 'On Scene' 5 watts max

* Time Out Timer

All stations not operating in mobile relay mode, where permitted, shall employ a time out timer set to limit transmission duration to a period of no greater than 60 seconds (1 minute).

All stations operating in mobile relay mode, where permitted, shall be configured to immediately drop transmit carrier upon cessation of input signal. Reasonable hysteresis time in squelching action of weak received signals, or in signals that have achieved a critical bit error rate (BER) is permitted. Prolonged "hang time" in excess of 500 ms is not permitted.

* Priority Levels:

1. Emergency or urgent operation involving imminent danger to life or property;
2. Disaster or extreme emergency operation for mutual aid and inter-agency communications;
3. Special event control, generally of a preplanned nature (including Task Force operations)
4. Joint training evolutions

To resolve contention within the same priority, assuming all radio equipment is exercising the lowest output and effective radiated power level practicable, the channel should go to the organization with the wider span of control/authority. This shall be determined by the SEC/DEC for the operation or by the levels of authority/government identified in the contention.

* Use

How could these frequencies be used?

** Calling

Pt to Pt contacts, Administrative level contacts NOT tactical comms.

After contact has been established, change frequency to the primary frequency of the calling party or the frequency directed. The calling party will then initiate the exchange. (See example above and Primary Intra-District Comms below)

Alert paging and SCADA operations are not permitted on Calling or TAC channels. Temporary base station receivers shall not be muted by either selective calling alert mechanisms or DTMF signaling devices.

*** VHF

HVCall may be used to INITIATE contacts for:

District to District

County to County

Mobile/Rover to County

Incoming Amateur Radio response to IC or Amateur Radio section chief

HVCall IS THE PRIMARY CALLING CHANNEL OF THIS PLAN. Command/NCS should have someone assigned to monitor this frequency.

HUCall, HMCall and HLCall are secondary calling channels. Command/NCS may not be monitoring these frequencies.

*** UHF

HUCall similar to HVCall

Primarily Intra-County use and on site tactical use.

*** 6M

HMCall similar to HVCall

HLCall similar to HUCall

The 'M' frequencies are for Point to Point and Mobile operations.

The 'L' frequencies are intended for on scene tactical operations.

** Staging

HVStage is used by hams responding in to an area to check in to staging. When Mutual Aid Teams have been requested, this is where they will check in.

** Primary Intra-District Comms

*** APRS

HVAPRS is used for VHF APRS networks.

HUAPRS is used for local UHF APRS networks.

*** Packet

Packet is traditional Packet, NOT APRS.

*** Data

HMData is used for wide area inter-district networks.

HVData is used for intra-district networks.

HUData is used for 'scene' data links/networks.

Local area determines protocol, DCC guidelines should be followed. May be used for PSK31, MFSK, 9600baud Packet, APRS, JT44, etc.

Could be modulated with either FM or SSB depending upon stations mode capabilities.

If additional data channels are needed, stations could move up in 10 KHz increments.

*** VHF

HVTac1-HVTac9 would be primarily for use within the District's Alpha-India for county to county traffic. Counties in District A would primarily change frequency to HVTac1 after making contact on the HVCall frequency.

*** UHF

Be aware that in your area HUTac1 - HUTac4 may be used as a repeater link frequency. HUTac5 - HUTac8 may be in use for digital comms. Determine this ahead of time so you can adjust your response appropriately.

Since the tactical frequencies are intended for use by low power portable stations within a limited geographic area, you should be able to use the same frequency at multiple locations.

** Suggested use of non-primary HVTac frequencies:

Note: You may also opt to use an existing repeater to support any of these tasks.

Also, keep in mind that spectrum is a shared resource. Do not interfere with any existing operation.

*** Command/Admin Net

Frequency for Administrative Net

NCS and IC are here

Command or Liaison should also monitor HVCall

*** Logistics/Resources

Person keeping track of Resources and coordinating procurement of material and personnel is here.

This person will work closely with Staging. Ideal is to have them co-located. Staging monitors HVStage.

*** Digital Modes

A non-primary Tac frequency may be used for digital mode communications. This use should supplement HVPacket and HVAPRS. HVTac0 would be the ideal frequency to use first.

For instance, you have a team that is equipped with APCO 25 compliant gear. They are assigned to operate on HVTac0. The team leader is also monitoring/checked in to the Command/Admin net.

*** Tactical Frequencies

Intended for low power portables that have been assigned a specific task. For instance comms may be needed within a shelter location.

The shelter command should be monitoring and checked in to the Admin Net.

Shelter command should:

Determine if a Tactical frequency is needed

Determine a clear Tactical frequency

Advise NCS of the local use of the tac freq, by name

Continue Monitoring their Tactical frequency

Continue Monitoring their NCS assigned Net frequency

Advise NCS when the operation on the Tactical freq has terminated

** Security

Frequencies published, same as PS frequencies are published.

No security is implied. Systems may be readily monitored. Participants should recognize that the third man is always listening. Messages, should be brief, to the point and contain no more information than necessary.

** Distribution

You are encouraged to distribute this document to all ARES/RACES stations so that they are familiar with the plan and have their radios pre-programmed in the event of an activation.

* Interoperability with Public Safety

An ARES/RACES Incident Commander or their designee may use the interoperability frequencies designated by the SIEC through the authority of their Served Agency. In addition to following the requirements of the SIEC MOU the ARES/RACES station should also follow their Served Agency's guidelines. The guidelines should be established with an MOU between the ARES/RACES team and the Served Agency. Equipment used on these frequencies should be Part 90 type accepted.

ARES Missouri District H Organization

District EC

**Trevor Black
KCØQLU**

Assistant DEC

**George Pease
KCØGP**

Caldwell Co. EC

**Bob Pugh
KGØCX**

Caldwell Co. AEC

**_George Pease
KCØGP**

Livingston Co. EC

**Michael Council
WUØG**

Livingston Co. AEC

Joe Dietrick

KCØNOX

ARES District H Contact Details

District H Emergency Coordinator:

Trevor Black KCØQLU
568 NW 305th St.
Plattsburg, MO 64477
816-592-0509
kc0qlu@nwmoares.org
kc0qlu@winlink.org

District H Asst. Emergency Coordinator:

George Pease KCØGP
PO Box 336
Hamilton, MO 64644
gpease@aol.com
816-916-7860

Caldwell Co.

Emergency Coordinator:

Bob Pugh KGØCX
3385 SW State Route T
PO Box 922
Polo, MO 64671
kg0cx@nwmoares.org
kg0cx@winlink.org
816-632-0125

Livingston Co.

Emergency Coordinator:

Michael Council WUØG
11201 LIV 224
Chillicothe, Mo 64601
mcouncil@ghsat.net
(660) 214-0510