

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET

Frequency Band		Description							
		Webster Co.A.R.E.S.							
Pg No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	REPEATER	KONI,MARSHFIELD	Amateur	146.265	156.7	146.865	- 156.7	A	PRIMARY REPEATER
2	REPEATER	W9IQ, 60 & A HWY	Amateur	145.59000	123.0	144.19000	- 123.0	A	SECODARY REPEATER
3	REPEATER	NONWS SKYWARN	Amateur	145.890	136.5	145.49	- 136.5	A	SKYWARN
4	SIMPLEX	District D ARES	Amateur	146.4		146.4		A	DIST D HV TAC
5	SIMPLEX	District D ARES	Amateur	146.45		146.45		A	Dist D HV Tac Call Backup
6	SIMPLEX	District D ARES	Amateur	146.52		146.52		A	National VHF CALL
7	SIMPLEX	District D ARES	Amateur	446.00		446.00		A	HU CALL
8	SIMPLEX	District D ARES	Amateur	146.55		146.55		A	HV CALL PRIMARY
9	SIMPLEX	District D ARES HF	Amateur	3.973		3.973		A	HF NET SUNDAY4 PM
10	SIMPLEX	District D ARES HF	Amateur	7.273		7.273		A	DIST D ARES NET ALT.
11	SIMPLEX	District D ARES HF	Amateur	3.963		3.963		A	Mo. Emergency Services Net
12	SIMPLEX	District D ARES HF	Amateur	7.263		7.263		A	Mo. Emergency Services Net D
	MORE	WILL BE ADDED	AS NEEDED						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.